



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/024,747	12/19/2001	Stuart Edwards	9222.16399-D DIV	4434

7590

09/30/2004

RYAN, KROMHOLZ & MANION, S.C.
P.O. BOX 26618
MILWAUKEE, WI 53226

EXAMINER

PEFFLEY, MICHAEL F

ART UNIT

PAPER NUMBER

3739

DATE MAILED: 09/30/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/024,747	Applicant(s) EDWARDS ET AL.	
	Examiner Michael Peffley	Art Unit 3739	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
 - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
 - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
 - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 August 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-7 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-7 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 3739

Applicant's amendments and comments, received August 30, 2004 have been fully reviewed by the examiner. The following is a complete response to the August 30, 2004 response.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-7 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The scope of the claims is unclear in view of applicant's amendments of August 30, 2004. In particular, claim 1 is drawn to "An interface for association with an electrode structure..." which indicates that the interface, per se, and not the combination of the interface and the electrode structure is being claimed. However, applicant's amendments have recited specific elements of the electrode structure and images of the electrode structure. If applicant intends to claim the system including the specific electrode structure, applicant is respectfully requested to clarify the preamble of the claim and indicate that the system is being claimed and not just the interface. At present, the limitations added are deemed to directed solely to the intended use of the interface and are not deemed to specifically limit the interface, per se.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

Art Unit: 3739

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1 and 2 are rejected under 35 U.S.C. 102(e) as being anticipated by Cosman ('725).

As shown in Figure 7, Cosman discloses an interface for association with an electrode with a temperature sensor. The interface includes an input adapted to be connected to the electrode and the sensor and a display screen (731) which shows concurrently an idealized image of the electrode (751) and a second image (742,743) that shows changes in the monitored temperature over time. The second image may be a numeric display (743) or a graphic display.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 3-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cosman ('725) in view of the teaching of Swanson ('638).

The Cosman display shows both an image of the electrode and a numeric and graphic representation of the temperature being monitored. While Cosman teaches that the system is computer driven, there is no explicit recitation of a storage medium (i.e.

Art Unit: 3739

memory) or a printer. Also, Cosman does not specifically disclose the use of displays using color or animated images.

Swanson et al discloses an analogous system which includes an RF energy delivering electrode with a temperature sensor for monitoring temperature. In particular, Swanson teaches that a GUI may be used to provide visual images of the electrode. Also, Swanson teaches of the use of a memory to store data (including images) and a printer for printing data (Figure 38). The examiner maintains that the use of any well-known type of image (i.e. numeric, color, animated) would be obvious to one of ordinary skill in the art. Applicant has provided no evidence of criticality or unexpected result associated with the format of the display of data.

To have provided the Cosman system with a memory and printer means for storing and printing the data related to procedures would have been an obvious consideration for one of ordinary skill in the art in view of the teaching of Swanson. The examiner maintains that most computer systems inherently have such a capability, and Swanson fairly teaches the use of such means in an analogous system.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Art Unit: 3739

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claim 1 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 4 and 14-19 of U.S. Patent No. 6,273,886. Although the conflicting claims are not identical, they are not patentably distinct from each other because the current claims are just broader limitations of the patented invention and would read on the patented claims.

Claims 1-7 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-14 of U.S. Patent No. 6,358,245. Although the conflicting claims are not identical, they are not patentably distinct from each other because the current claims are just broader limitations of the patented invention and would read on the patented claims.

Response to Arguments

Applicant's arguments, filed August 30, 2004, have been considered but are not deemed persuasive.

Applicant contends that the prior art does not teach or suggest an interface in which an operating system generates an idealized image of the electrode structure which spatially models the particular circumferential array of electrodes and a second image that displays concurrently for each electrode changes in the monitored surface tissue temperature at each electrode over time. It is the examiner's position that the recitation of generating an idealized image of the particular electrode structure is a

Art Unit: 3739

recitation of intended use, particularly since the specific electrode structure is not positively recited in the claim. The Cosman system does provide an operating system to generate concurrently viewable images, and the operating system may conceivably display the image from any particular electrode structure. Again, the examiner maintains that the particular electrode structure is not a positive recitation in the claimed subject matter.

It is noted that applicant intends to file terminal disclaimers to obviate the double patenting issues when the application is otherwise in condition for allowance.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Art Unit: 3739

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Peffley whose telephone number is (703) 308-4305. The examiner can normally be reached on Mon-Fri from 6am-3pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda Dvorak can be reached on (703) 308-0994. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Michael Peffley
Primary Examiner
Art Unit 3739

mp
September 27, 2004